

Safety Data Sheet

according to UK REACH Regulation

Anodising dye: red

Revision date: 23.08.2022

Product code: 0816

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Anodising dye: red

UFI: 5AWV-WA42-0203-W8RP

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Dye for anodisation process

Uses advised against

No further relevant information available.

1.3. Details of the supplier of the safety data sheet

Company name:	MARAWE GmbH & Co. KG	
Street:	Donaustauer Str. 378 - Gebäude 64	
Place:	D-93055 Regensburg	
Telephone:	+49 941 / 29020439	Telefax: +49 941 / 29020593
e-mail:	info@marawe.de	
Contact person:	Product safety department	
Internet:	www.marawe.de	

1.4. Emergency telephone number:+49 941 / 29020439,
Mo-Do 9:00 - 16:00 Uhr; Fr 9:00 - 14:00 Uhr**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

This substance is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements**SECTION 3: Composition/information on ingredients****3.1. Substances****Hazardous components**

none (according to UK REACH Regulation)

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Never give anything by mouth to an unconscious person or a person with cramps. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Wash with plenty of water. If skin irritation or rash occurs: Get immediate medical advice/attention.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. If irritation symptoms persist, consult a doctor.

After ingestion

Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Call a doctor if you feel

Safety Data Sheet

according to UK REACH Regulation

Anodising dye: red

Revision date: 23.08.2022

Product code: 0816

Page 2 of 7

unwell.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Do not use full-jet water.

5.2. Special hazards arising from the substance or mixture

Do not breathe explosive- and combustion gases. Exposure to decomposition products can be harmful to health.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Avoid dust formation. Do not breathe dust.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Collect spillage.

For cleaning up

Sweep or shovel spilt material into a container suitable for disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Provide adequate ventilation. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

The product is stable under storage at normal ambient temperatures. Protect from direct sunlight.

Safety Data Sheet

according to UK REACH Regulation

Anodising dye: red

Revision date: 23.08.2022

Product code: 0816

Page 3 of 7

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Dye for anodisation process

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing protective goggles (DIN EN 166).

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber).

Permeation: 6 (> 480 minutes)

DIN-/EN-Norms: EN ISO 374

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Solid
Colour:	red
Odour:	odourless

Changes in the physical state

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flash point:	not applicable

Flammability

Solid/liquid:	not determined
Gas:	not applicable

Explosive properties

Formation of explosible dust/air mixtures

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	not determined

Safety Data Sheet

according to UK REACH Regulation

Anodising dye: red

Revision date: 23.08.2022

Product code: 0816

Page 4 of 7

Decomposition temperature:	not determined
pH-Value (at 20 °C):	7 - 9 (10 g/l)
Water solubility:	soluble in water
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density:	0,8 - 1 g/cm ³
Relative vapour density:	not determined

9.2. Other information**Information with regard to physical hazard classes**

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Solid content:

not determined

Evaporation rate:

not determined

Further Information**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Protect from direct sunlight.

10.5. Incompatible materials

Strong acid, strong base.

10.6. Hazardous decomposition products

At normal storage- and application conditions, no dangerous decomposition products should be created. When exposed to high temperatures, dangerous decomposing substances can be released, like carbon monoxide or -dioxide, smoke, nitrogen oxides (NO_x).

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to UK REACH Regulation

Anodising dye: red

Revision date: 23.08.2022

Product code: 0816

Page 5 of 7

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information**12.5. Results of PBT and vPvB assessment**

This substance does not meet the PBT/vPvB criteria of UK REACH.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow water used to extinguish fire to enter drains or waterways. Do not allow to enter into soil/subsoil.
Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

110299 WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY; wastes from non-ferrous hydrometallurgical processes; wastes not otherwise specified

List of Wastes Code - used product

110299 WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY; wastes from non-ferrous hydrometallurgical processes; wastes not otherwise specified

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to UK REACH Regulation

Anodising dye: red

Revision date: 23.08.2022

Product code: 0816

Page 6 of 7

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

SECTION 16: Other information**Abbreviations and acronyms**

CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern

Safety Data Sheet

according to UK REACH Regulation

Anodising dye: red

Revision date: 23.08.2022

Product code: 0816

Page 7 of 7

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.