



according to UK REACH Regulation

# **Metal polish Power Polish**

Revision date: 06.02.2023 Product code: 0702 Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Metal polish Power Polish

UFI: 8X5Q-C0FP-A20E-84XU

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Metal polish

### Uses advised against

No data available

## 1.3. Details of the supplier of the safety data sheet

Company name: MARAWE GmbH & Co. KG

Street: Donaustaufer Str. 378 - Gebäude 64

Place: D-93055 Regensburg
Telephone: +49 941 / 29020439

Telephone: +49 941 / 29020439 Telefax: +49 941 / 29020593

e-mail: info@marawe.de

Contact person: Product safety department

Internet: www.marawe.de

1.4. Emergency telephone +49 941 / 29020439,

<u>number:</u> Mon-Thu 9:00 - 16:00; Fri 9:00 - 14:00

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# **GB CLP Regulation**

Eve Dam. 1; H318

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

### **GB CLP Regulation**

# Hazard components for labelling

isotridecanol, ethoxylated

Signal word: Danger

Pictograms:



#### **Hazard statements**

H318 Causes serious eye damage.

# **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.



according to UK REACH Regulation

# **Metal polish Power Polish**

Revision date: 06.02.2023 Product code: 0702 Page 2 of 8

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
69011-36-5	isotridecanol, ethoxylated			>= 3 - < 15 %
	Acute Tox. 4, Eye Dam. 1; H302 H318			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	
	Specific Conc. Limits, M-factors and ATE		
69011-36-5		isotridecanol, ethoxylated	>= 3 - < 15 %
	dermal: LD50 = >2000 mg/kg; oral: LD50 = 400 mg/kg		

### Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % non-ionic surfactants.

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

Remove clothing contaminated with product.

# After inhalation

Provide fresh air.

# After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

Non-flammable.

Do not breathe explosive- and combustion gases. Exposure to decomposition products can be harmful to health.





according to UK REACH Regulation

# **Metal polish Power Polish**

Revision date: 06.02.2023 Product code: 0702 Page 3 of 8

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Avoid prolonged or repeated contact with the skin. Use personal protection equipment.

Special danger of slipping by leaking/spilling product.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Do not breathe gas/fumes/vapour/spray. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Store in a cool and dry place.

# Hints on joint storage

Store away from food.

# 7.3. Specific end use(s)

Metal polish

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Additional advice on limit values

To date, no national critical limit values exist.

# 8.2. Exposure controls



according to UK REACH Regulation

# **Metal polish Power Polish**

Revision date: 06.02.2023 Product code: 0702 Page 4 of 8





## Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tight sealing protective goggles (DIN EN 166).

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Recommended glove type for continuous use: Butyl caoutchouc (butyl rubber)

## Skin protection

Use of protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: white

Odour: of citrus fruits

# Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

>100 °C

boiling range:

Flash point: not determined

**Flammability** 

Solid/liquid: not applicable
Gas: not applicable

### **Explosive properties**

The product is not: Explosive.

Lower explosion limits: not determined Upper explosion limits: not determined

Self-ignition temperature

Solid: not applicable Gas: not applicable not applicable pecomposition temperature: not determined pH-Value (at 25 °C): 9,3

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined



according to UK REACH Regulation

# **Metal polish Power Polish**

Revision date: 06.02.2023 Product code: 0702 Page 5 of 8

Density: not determined Relative vapour density: not determined

#### 9.2. Other information

### Information with regard to physical hazard classes

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Solid content: not determined Evaporation rate: not determined

**Further Information** 

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
69011-36-5	isotridecanol, ethoxylated				
	oral	LD50 400 mg/kg	rat		
	dermal	LD50 >2000 mg/kg	rat		

# Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

# **Metal polish Power Polish**

Revision date: 06.02.2023 Product code: 0702 Page 6 of 8

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d] Species	Source	Method
69011-36-5	isotridecanol, ethoxylated				
	Acute fish toxicity	LC50 1-10 mg/l	96 h Scenedesmus subspicatus	Pre-supplier/manu facturer	
	Acute algae toxicity	ErC50 1-10 mg/l	96 h Daphnia magna (Big water flea)	Pre-supplier/manu facturer	

### 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

# 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

## **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.



according to UK REACH Regulation

# **Metal polish Power Polish**

Revision date: 06.02.2023 Product code: 0702 Page 7 of 8

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number: UN 3082

**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(ISOTRIDECANOL, ETHOXYLATED), MARINE POLLUTANT

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9

Special Provisions: 274, 335, 969

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-F

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

**Additional information** 

Regulation (EC) No. 648/2004 [Detergents regulation].

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.



according to UK REACH Regulation

# **Metal polish Power Polish**

Revision date: 06.02.2023 Product code: 0702 Page 8 of 8

### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

# Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method

### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
H318 Causes serious eye damage.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)