

Anodising dye: yellow

Revision date: 23.08.2022

Product code: 0817

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Anodising dye: yellow

UFI:

F6PY-1AC1-820Y-ENG6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Dye for anodisation process

Uses advised against

No further relevant information available.

1.3. Details of the supplier of the safety data sheet

Company name:	MARAWE GmbH & Co. KG	
Street:	Donaustaufer Str. 378 - Gebäude 64	
Place:	D-93055 Regensburg	
Telephone: e-mail:	+49 941 / 29020439 info@marawe.de	Telefax: +49 941 / 29020593
Contact person:	Product safety department	
Internet:	www.marawe.de	
<u>1.4. Emergency telephone</u> number:	+49 941 / 29020439, Mo-Do 9:00 - 16:00 Uhr; Fr 9:00 - 14:00 Uhr	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This substance is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

SECTION 3: Composition/information on ingredients

3.1. Substances

Hazardous components

none (according to UK REACH Regulation)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Never give anything by mouth to an unconscious person or a person with cramps. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Wash with plenty of water. If skin irritation or rash occurs: Get immediate medical advice/attention.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. If irritation symptoms persist, consult a doctor.

After ingestion

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Call a doctor if you feel



Anodising dye: yellow

Revision date: 23.08.2022

Product code: 0817

Page 2 of 7

unwell.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Do not use full-jet water.

5.2. Special hazards arising from the substance or mixture

Do not breathe explosive- and combustion gases. Exposure to decomposition products can be harmful to health.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid dust formation. Do not breathe dust.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Collect spillage.

For cleaning up

Sweep or shovel spilt material into a container suitable for disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

The product is stable under storage at normal ambient temperatures. Protect from direct sunlight.



Anodising dye: yellow Product code: 0817

Revision date: 23.08.2022

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Dye for anodisation process

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing protective goggles (DIN EN 166).

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Suitable material: NBR (Nitrile rubber). Permeation: 6 (> 480 minutes)

DIN-/EN-Norms: EN ISO 374

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:SolidColour:yellowOdour:odourlessChanges in the physical stateMelting point/freezing point:Boiling point or initial boiling point and boiling range:Flash point:Flash point:Solid/liquid: Gas:Explosive properties Formation of explosible dust/air mixturesLower explosion limits:Upper explosion limits:Auto-ignition temperature:	
Odour: odourless Changes in the physical state Melting point/freezing point: Boiling point or initial boiling point and boiling range: Flash point: Flammability Solid/liquid: Gas: Explosive properties Formation of explosible dust/air mixtures Lower explosion limits: Upper explosion limits:	
Changes in the physical state Melting point/freezing point: Boiling point or initial boiling point and boiling range: Flash point: Flammability Solid/liquid: Gas: Explosive properties Formation of explosible dust/air mixtures Lower explosion limits: Upper explosion limits:	
Melting point/freezing point: Boiling point or initial boiling point and boiling range: Flash point: Flammability Solid/liquid: Gas: Explosive properties Formation of explosible dust/air mixtures Lower explosion limits: Upper explosion limits:	
Boiling point or initial boiling point and boiling range: Flash point: Flammability Solid/liquid: Gas: Explosive properties Formation of explosible dust/air mixtures Lower explosion limits: Upper explosion limits:	
boiling range: Flash point: Flammability Solid/liquid: Gas: Explosive properties Formation of explosible dust/air mixtures Lower explosion limits: Upper explosion limits:	not determined
Flammability Solid/liquid: Gas: Explosive properties Formation of explosible dust/air mixtures Lower explosion limits: Upper explosion limits:	not determined
Solid/liquid: Gas: Explosive properties Formation of explosible dust/air mixtures Lower explosion limits: Upper explosion limits:	not applicable
Formation of explosible dust/air mixtures Lower explosion limits: Upper explosion limits:	not determined not applicable
Upper explosion limits:	
	not determined
Auto-ignition temperature:	not determined
	not determined

Page 3 of 7



Anodising dye: yellow		
Revision date: 23.08.2022	Product code: 0817	Page 4 of 7
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	7 - 8 (10 g/l)	
Water solubility:	soluble in water	
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	0,8 - 1 g/cm³	
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical hazard	classes	
Oxidizing properties The product is not: oxidising.		
Other safety characteristics		
Solid content:	not determined	
Evaporation rate:	not determined	
Further Information		
SECTION 10: Stability and reactivity		

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Protect from direct sunlight.

10.5. Incompatible materials

Strong acid, strong base.

10.6. Hazardous decomposition products

At normal storage- and application conditions, no dangerous decomposition products should be created. When exposed to high temperatures, dangerous decomposing substances can be released, like carbon monoxide or -dioxide, smoke, nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.



Anodising dye: yellow

Revision date: 23.08.2022

Product code: 0817

Page 5 of 7

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow water used to extinguish fire to enter drains or waterways. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

110299 WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY; wastes from non-ferrous hydrometallurgical processes; wastes not otherwise specified

List of Wastes Code - used product

110299 WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY; wastes from non-ferrous hydrometallurgical processes; wastes not otherwise specified

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Inland waterways transport (ADN)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:

Marine transport (IMDG)

<u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name:

14.3. Transport hazard class(es): 14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number:

14.2. UN proper shipping name: 14.3. Transport hazard class(es):

14.4. Packing group:

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.



Anodising dye: yellow

Revision date: 23.08.2022

Product code: 0817

Page 6 of 7

.....

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

EU regulatory information

Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

1 - slightly hazardous to water

Water hazard class (D):

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container



Anodising dye: yellow

Revision date: 23.08.2022

Product code: 0817

Page 7 of 7

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.